



**BŘITY V METRÁŽI** dodávané firmou **BAGRMARKET s.r.o.**



Tabulka břitů s jednostranným úkosem

	<b>A</b>	<b>H</b>	<b>B</b>	<b>D</b>	<b>C</b>	<b>Délka mm</b>	<b>KG/M</b>
břit	<b>80</b>	<b>12</b>	5	-	20,2°	3000-6300	7,1
břit	<b>110</b>	<b>12</b>	3	R=3	23,9°	3000-6000	9,7
břit	<b>110</b>	<b>16</b>	7	R=3	23,9°	3000-6000	13,1
břit	<b>150</b>	<b>16</b>	7	5	24°	3000-6000	18,0
břit	<b>150</b>	<b>20</b>	5	5	22,6°	3000-6000	21,5
břit	<b>150</b>	<b>20</b>	5	5	26,5°	3000-6000	21,7
břit	<b>200</b>	<b>20</b>	6	8	23°	3000-6000	29,5
břit	<b>200</b>	<b>25</b>	11	8	23°	3000-6000	37,4
břit	<b>245</b>	<b>25</b>	8	10	22,6°	3000-6000	44,9
břit	<b>250</b>	<b>25</b>	6	10	22,6°	3000-6000	45,6
břit	<b>250</b>	<b>30</b>	11	10	22,6°	3000-6000	55,3
břit	<b>270</b>	<b>32</b>	10	10	23°	3000-6100	63,1
břit	<b>270</b>	<b>35</b>	13	10	23°	3000-6100	69,1
břit	<b>300</b>	<b>30</b>	8	10	23°	3000-6100	66,1
břit	<b>300</b>	<b>35</b>	13	10	23°	3000-6100	77,7
břit	<b>300</b>	<b>40</b>	18	10	23°	3000-6100	89,4
břit	<b>300</b>	<b>50</b>	28	10	23°	3000-6100	112,9
břit	<b>400</b>	<b>40</b>	15	12	24°	3000-6100	119,5
břit	<b>400</b>	<b>45</b>	20	12	24°	3000-6100	135,2
břit	<b>400</b>	<b>50</b>	25	12	24°	3000-6100	150,9



Tabulka břitů s oboustranným úkosem

	<b>A</b>	<b>H</b>	<b>B</b>	<b>C</b>	<b>Délka mm</b>	<b>KG/M</b>
břit	<b>120</b>	<b>15</b>	5	25°	3000-6500	12,2
břit	<b>152,4</b>	<b>15,9</b>	5	25°	3000-6500	17,4
břit	<b>152,4</b>	<b>19,1</b>	8,1	25°	3000-6500	21,0
břit	<b>203,2</b>	<b>15,9</b>	5	25°	3000-6500	23,7
břit	<b>203,2</b>	<b>19,1</b>	8,1	25°	3000-6500	28,5
břit	<b>203,2</b>	<b>25,4</b>	14,4	25°	3000-6500	38,5
břit	<b>254</b>	<b>19,1</b>	7,1	25°	3000-6500	36,0
břit	<b>254</b>	<b>25,4</b>	13,4	25°	3000-6500	48,5
břit	<b>254</b>	<b>30</b>	18	25°	3000-6500	57,7
břit	<b>254</b>	<b>32</b>	20	25°	3000-6500	61,4
břit	<b>254</b>	<b>35</b>	23	25°	3000-6500	67,4
břit	<b>254</b>	<b>41</b>	29	25°	3000-6500	79,3
břit	<b>280</b>	<b>25</b>	7	22,5°	3000-6500	48,9
břit	<b>304,8</b>	<b>25,4</b>	9,5	22,5°	3000-6500	56,0
břit	<b>304,8</b>	<b>28,5</b>	12,6	22,5°	3000-6500	63,6
břit	<b>304,8</b>	<b>32</b>	16,1	22,5°	3000-6500	71,8
břit	<b>330</b>	<b>25</b>	11	22,5°	3000-6500	61,0
břit	<b>330</b>	<b>28,5</b>	14,5	22,5°	3000-6500	70,1
břit	<b>330</b>	<b>30</b>	16	22,5°	3000-6500	74,0
břit	<b>330</b>	<b>32</b>	18	22,5°	3000-6500	79,2

břit	<b>330</b>	<b>35</b>	21	22,5°	3000-6500	87,0
břit	<b>330</b>	<b>38</b>	24	22,5°	3000-6500	94,7
břit	<b>330</b>	<b>41</b>	27	22,5°	3000-6500	102,5
břit	<b>330</b>	<b>50</b>	36	22,5°	3000-6500	126,1
břit	<b>360</b>	<b>30</b>	8	22,5°	3000-6500	75,6
břit	<b>360</b>	<b>35</b>	13	22,5°	3000-6500	89,9
břit	<b>360</b>	<b>40</b>	18	22,5°	3000-6500	103,9
břit	<b>406</b>	<b>25</b>	9	22,5°	3000-6500	74,8
břit	<b>406</b>	<b>28,5</b>	12,5	22,5°	3000-6500	86,0
břit	<b>406</b>	<b>32</b>	16	22,5°	3000-6500	97,1
břit	<b>406</b>	<b>35</b>	19	22,5°	3000-6500	106,7
břit	<b>406</b>	<b>38</b>	22	22,5°	3000-6500	116,0
břit	<b>406</b>	<b>41</b>	25	22,5°	3000-6500	125,8
břit	<b>406</b>	<b>45</b>	29	22,5°	3000-6500	138,6
břit	<b>406</b>	<b>50</b>	34	22,5°	3000-6500	154,5
břit	<b>406</b>	<b>60</b>	44	22,5°	3000-6100	186,2

\*v případě jakýchkoliv dotazů kontaktujete pana Davida Berouška na tel. 601 304 071